

Contents

Board of Directors, AFS—1985-86	vi	Disposable Insulated Linings in Teapot Ladles (86-32)— <i>G. L. Mellinger</i>	177
Proceedings Summary of 90th Annual Meeting	vii	Replicast Ceramic Shell Molding: The Process and Its Capabilities (86-33)— <i>R. E. Grote</i>	181
Chapter Officers Conference Program	xiii	High Hot Strength Phenolic Urethane Cold Box System (86-34)— <i>R. Laitar, C. K. Johnson</i>	187
Reports	xv	Weld Repair of Steel Castings (86-36)— <i>D. McConnell</i>	195
Minutes	xxix	Pattern Shop CAD/CAM: How It Works for the Foundry (86-38)— <i>S. Dillard</i>	205
Breakdown Accelerator for Phenolic Resin Bonded Cores in Aluminum Castings (86-02)— <i>O. Madono</i>	1	Counter Gravity Casting of Aluminum in Investment and Sand Molds (86-39)— <i>G. F. Chandley</i>	209
The M-C Method for Riser Design for Nonferrous and Ferrous Metals (86-03)— <i>R. C. Creese</i>	5	Testing Filters for Steel Castings (86-40)— <i>W. F. Baker</i>	215
Eutectic Silicon Shape Control by 'In Situ' Measurement of Resistivity (86-06)— <i>B. Closset, R. A. L. Drew, J. E. Gruzleski</i> ..	9	Stress and Strain Distributions in Two-Phase Aluminum-Silicon Alloys (86-43)— <i>A. Saigal</i>	219
The Effect of Increased Zinc Content on the Mechanical Properties of Aluminum Alloy 333.0 (86-07)— <i>J. K. Resch, E. W. Miguelucci</i>	17	Effect of Strontium on the Structure and Mechanical Properties of Zinc-Aluminum Foundry Alloys (86-44)— <i>M. Sahoo, L. V. Whiting, V. Chartrand, G. Weatherall</i>	225
Computer-Aided Pattern Design for Casting Processes (86-08)— <i>C. T. Smith, K. Lee</i>	21	Robotic Integrated Cells for Finishing Operations (86-46)— <i>Y. Sharir, O. Pollig</i>	243
Mold-Metal Reactions in Ferrous and Nonferrous Alloys (86-09)— <i>R. A. Flinn, L. H. Van Vlack, G. A. Colligan</i>	29	On the Structure and Properties of Austempered Gray Cast Iron (86-47)— <i>M. D. VanMaldegiam, K. B. Rundman</i>	249
Microporosity of Air Cast and Vacuum Cast Aluminum Alloys (86-11)— <i>M. Abbas, G. R. St. Pierre, C. E. Mobley</i>	47	Effect of Manganese on the Structure and Properties of Austempered Ductile Iron: A Processing Window Concept (86-48)— <i>D. J. Moore, T. N. Rouns, K. B. Rundman</i>	255
Microcomputer-Aided Maintenance Management System (86-12)— <i>K. Bagadia</i>	57	Fatigue Crack Propagation in Permanent Mold Ductile Iron Castings (86-49)— <i>S. Seetharamu, M. N. Srinivasan</i>	265
Properties of Sodium Silicate Bonded Sands with Silicofluoride Hardener (86-13)— <i>M. K. Muralidhara, S. Seshan</i>	65	Additives for High Pressure Molding at Low Compactibilities (86-51)— <i>V. S. LaFay, S. Neltner</i>	271
Evaluation of 8-15% Bentonite Content Green Sands Properties and Clay Behavior: Part III—Mulling Effect and Dry Properties (86-15)— <i>T. S. Shih, R. A. Green, R. W. Heine</i>	71	Finding the Source of Sand Inclusions Using Tracing Sands (86-53)— <i>K. Yonekura, Y. Yamamoto, M. Nakamura, M. Nakamichi, H. Yoshioka</i>	277
Priming and Flow Through Filters (86-18) — <i>I. Dutta, P. F. Wieser</i>	85	Properties of Reinforced Aluminum Foundry Alloys (86-54)— <i>L. Ackermann, J. Charbonnier, G. Desplanches, H. Koslowski</i> ..	285
Ladle Board Practice for Bottom Pour Ladles (86-19) — <i>L. F. Cator</i>	93	A Two Part Chemically-Curing Core and Mold Adhesive System (86-55)— <i>J. T. Schneider</i>	291
Mechanical Properties Characterization of Slow-Cooled Aluminum Bronzes (86-22)— <i>M. Sahoo</i>	97	Impact Fracture Behavior of High Chromium-Molybdenum White Cast Irons (86-56)— <i>R. H. Frost, T. Majewski, G. Krause</i> ..	297
New Technology in Casting Cleaning (86-24)— <i>T. P. Warren, F. R. Pulice</i>	109	Plasma-Fired Cupola: An Innovation in Iron Foundry Melting (86-58)— <i>S. V. Dighe, W. H. Provis, B. A. Buczkowski, W. J. Peck, A. D. Karp</i>	323
Application of Molten Metal Pumping Technology in Copper Alloy Melting and Casting (86-25)— <i>D. V. Neff</i>	115	Solidification Times of Hollow Cylindrical Castings in Sand Molds: A Generalized Solution (86-59)— <i>S. Sridhara, M. N. Srinivasan, M. R. Seshadri</i>	335
A Practical Look at Cast Duplex Stainless Steels (86-26)— <i>J. A. Larson</i>	123	Prediction of Pattern Dimensions for V-Process Precision Castings Through Response Surface Methodology (86-60)— <i>J. L. Gaindhar, C. K. Jain, K. Subbarathnamatah</i>	343
Welding Metallurgy of Gray and Ductile Cast Irons (86-27) — <i>R. C. Voigt, C. R. Loper, Jr.</i>	133	Casting Simulation in Vacuum Induction Melting (86-62)— <i>A. D. Rollett, H. D. Lewis</i>	349
Hydrogen Measurement by Telegas in Strontium Treated A356 Melts (86-28)— <i>J. Gruzleski, N. Handiak, H. Campbell, B. Closset</i>	147	Calculation of Feeding Range Data for Hypoeutectic A357 Alloy Using FEM Solidification Model Results (86-64)— <i>J. C. Moosbrugger, J. T. Berry</i>	373
Experimental Study of Copper Deoxidation by Charcoal Filtration (86-29)— <i>E. S. Geskin, E. Ling, M. Weinstein</i>	177		
Using Electrical Conductivity and Ultrasonics to Determine Modification in Al-Si Alloys (86-30)— <i>T. J. Hurley</i>	159		
The Use of Hand Shank Ladles with Insulated Liners (86-31)— <i>E. E. Wabiszewski</i>	173		

Ester-Cured Phenolic Cold Box Process (86-65)— <i>P. S. Frazier, R. Boudreau</i>	381	Fracture of Ferritic Ductile Cast Iron (85-58)— <i>L. Eldoky, R. C. Voigt</i>	621
Electrolytic Demagging of Secondary Aluminum in a Prototype Furnace (86-69)— <i>B. L. Tiwari, B. J. Howie, R. M. Johnson</i>	385	Crack Initiation and Propagation in Quenched and Tempered Ductile Cast Iron (86-104)— <i>R. C. Voigt, L. M. Eldoky</i>	631
The Fe-C-Si Solidification Diagram for Cast Irons (86-71)— <i>R. W. Heine</i>	391	Crack Initiation and Propagation in As-Cast and Fully Pearlitic Ductile Cast Irons (86-105)— <i>R. C. Voigt, L. M. Eldoky</i>	637
Solidification Structures of Fe-C-Cr-(V-Nb-W) Alloys (86-72)— <i>A. Sawamoto, K. Ogi, K. Matsuda</i>	403	Fracture of Ductile Cast Irons with Dual Matrix Structures (86-106)— <i>R. C. Voigt, L. M. Eldoky, H. S. Chiou</i>	645
Trends in the Quality of Ferrous Scrap as Reflected in Iron Castings: 1981-84 (86-73)— <i>R. H. Nafziger, A. D. Hartman, R. F. Farrell, R. D. Burlingame</i>	417	Simulating Behavior of Sand Under Vacuum in V-Process (86-107)— <i>C. K. Jain, J. L. Gaindhar</i>	657
In Search of Quality (86-75)— <i>M. T. Rowley</i>	427	Experience With Cupola Wastewater Treatment Installation (86-108)— <i>F. M. Degner, J. L. Penland</i>	663
Two New Cold-Set Foundry Binder Systems (86-77)— <i>E. I. Szabo, R. Gauthier, A. C. Kular</i>	433	Investment Cast Graphite Fiber Reinforced Magnesium Composites (86-123)— <i>D. M. Goddard</i>	667
A Model for the Tensile Strength of Resin-Bonded Sands (86-79)— <i>N. Y. Huang, C. E. Mobley</i>	443	Microstructures and Mechanical Properties of Heat Treated Concast Mn-Ni-Al Bronzes (86-124)— <i>A. Couture, M. Sahoo</i>	671
Practical Application of the Computer and Sand Testing in System Design (86-80)— <i>A. L. Graham, L. J. Pedicini</i>	451	Austempering Nodular Iron for Optimum Toughness (86-125)— <i>M. M. Shea, E. F. Ryntz</i>	683
Mold and Core Coatings: Past, Present, and Future (86-81)— <i>G. J. Vingas</i>	463	Closing the Loop: Meeting the Foundry Effluent Guidelines (86-126)— <i>W. A. Stephens, B. E. Dudzik, P. D. Turpin</i>	689
Computation of Solidification of a Steel Casting in a Sand Mold (86-85)— <i>T. X. Hou, R. D. Pehlke</i>	477	Effect of Trace Elements on the Fluidity of Eutectic Aluminum-Silicon Alloy Using the Vacuum Suction Technique (86-128)— <i>S. Venkateswaran, R. M. Malliya, M. R. Seshadri</i>	701
One Simple "Common" Drive for Foundry Vibrating Equipment (86-86)— <i>G. D. Dumbaugh</i>	485	Research and Competition: Best Partners (86-130)— <i>J. M. Shaw</i>	709
Recent Development of Elemental Analysis of Cast Aluminum Alloys by Optical Emission Spectroscopy (86-87)— <i>C. Chivany, R. Jarrell, R. Brown, R. Manabe</i>	495	Interactive Computer Graphics Preprocessing and Two-Dimensional Finite Element Solidification Modeling of Castings (86-131)— <i>T. S. Prasanna Kumar, O. Prabhakar</i>	715
Modeling Fracture Toughness in High Chromium White Cast Iron (86-88)— <i>P. N. Crepeau, S. D. Antolovich, G. A. Calboreanu</i>	503	Determination of Nitrogen in Reclaimed System Sands Using a Modified Kjeldahl Procedure (86-132)— <i>R. G. Rentschler, A. B. Draper, M. Small</i>	719
Solution Heat Treatment Effects on Ultimate Tensile Strength and Uniform Elongation in A357 Aluminum Alloys (86-91)— <i>C. W. Meyers</i>	511	Lead Compound Formation in Alloy CDA 84400 and the Effect of Iron on Leachable Lead (86-133)— <i>T. R. Ostrom, P. K. Trojan</i>	725
Water Analogue Studies of the Gravity Tilt Casting of Copper Alloy Components (86-92)— <i>T. Nguyen, J. Carrig</i>	519	Innovative Material Handling Techniques in the Foundry (86-135)— <i>W. C. Suttles</i>	735
Analysis of the Solidification Order in Selected Casting Sections (86-93)— <i>C. R. Loper, Jr., M. Copur, R. M. Kotschi</i>	529	Electromagnetically-Driven Stirring During Solidification: Its Influence on Gray Iron Microstructure (86-136)— <i>J. M. Schissler, J. P. Chobaut, Y. Fautrelle, C. Bak</i>	739
Liquid Metal Channel Formation in Compacted/Vermicular Graphite Cast Iron Solidification (86-94)— <i>J. Y. Chen, D. H. Wu, P. C. Liu, C. R. Loper, Jr.</i>	537	Selective Fiber Reinforcement: A New Frontier in Casting Technology (86-137)— <i>M. W. Toaz</i>	747
Matrix Development in Graphitic Cast Irons (86-95)— <i>E. N. Pan, C. R. Loper, Jr.</i>	545	Porosity Formation in Solidifying Castings (86-140)— <i>K. Kubo, R. D. Pehlke</i>	753
The Effect of Molybdenum, Copper, and Nickel on the Microstructure, Hardness, and Hardenability of Ductile Cast Irons (86-97)— <i>S. K. Yu, C. R. Loper, Jr., H. H. Cornell</i>	557	Finite-Element Simulation of Casting Processes (86-141)— <i>M. J. Beffel, J. O. Wilkes, R. D. Pehlke</i>	757
Strain Hardening Mechanism and Characteristics of Austempered Ductile Iron (86-100)— <i>J. J. Vuorinen</i>	577	Plasma Arc Torch Technology: Its Technical Merits and Application Potentials in Metallurgy (86-142)— <i>S. L. Camacho</i>	765
Coating Permeability: A Critical Parameter of the Evaporative Pattern Process (86-101)— <i>C. A. Gorla, G. Serramoglia, G. Caironi, G. Tosi</i>	589	Aluminum Alloys for Elevated Temperature Application (86-143)— <i>D. A. Granger, W. G. Truckner, E. L. Rooy</i>	777
A Literature Survey on Degenerate Graphite in Heavy Section Ductile Iron (Molten Metal Processing Committee) (86-102)— <i>H. W. Hoover, Jr.</i>	601	Low Pressure Sand Casting: A New Process (86-144)— <i>R. A. Smith, P. S. A. Wilkins</i>	785
Some Metallurgical Aspects of Producing Ductile Iron and Holding Treated Metal (86-103)— <i>J. Henych</i>	609	Twenty-Five Years Tilt-Pouring Aluminum (86-146)— <i>G. W. Stahl</i>	793
		Al-Si Processing Variables: Effect on Grain Refinement and Eutectic Modification (86-147)— <i>D. Apelian, J. J. A. Cheng</i>	797

The Plasma Fired Cupola: An Operator's Appraisal and Economic Projections (86-148)— <i>S. F. Carter, F. T. Kaiser</i>	809	Alloy Element Effects on Gray Iron Properties: Part II (86-154)— <i>C. E. Bates</i>	889
Efficiency In Desulfurization Practices: Committee 5-L Report (86-149)— <i>W. A. Henning</i>	815	Production Applications of Manipulators and Robots for Riser Cutting (86-161)— <i>M. D. Schneider, R. R. Petersen</i>	913
Effects of Composition and Foundry Process Variables on Graphite Flotation in Hypereutectic Ductile Irons (86-150)— <i>A. G. Fuller, T. N. Blackman</i>	823	Practical Applications of the Free Radical Cure Process (86-168)— <i>W. L. Tordoff, J. J. Archibald</i>	917
The Effects of Manganese and Sulfur on the Mechanical Properties and Structure of Flake Graphite Cast Irons (86-151)— <i>A. G. Fuller</i>	863	Structure and Formation of Vermicular Graphite (86-173)— <i>X. J. Deng, P. Y. Zhu, Q. F. Liu</i>	927
Holding and Pouring Magnesium Treated Cast Iron in Induction Furnaces (86-152)— <i>E. Dotsch</i>	873	Leachate and Groundwater Quality in and Around Ferrous Foundry Landfills and Comparison to Leach Test Results (86-174)— <i>R. K. Ham, W. C. Boyle, T. J. Kunes, D. G. Nichols, R. R. Stanforth</i>	935
Fatigue Properties of Welds of Nodular Cast Iron to Steel (86-153)— <i>B. Flinn, J. E. Jones, R. H. Frost, W. E. Wistehuff, J. Knibloe</i>	879	Subject Index	943
		Author Index	945